.09.11.00

Please type a plus sign (+) inside this box [+]

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UTILITY PATENT APPLICATION TRANSMITTAL

popprovisional applications under 37 CFR 1.53(b)

(Only	for new nonprovisional	applications under or or tre	.00(2)
Attorney Docket No.	003700.P002X		Total Pages _2_
First Named Inventor or	Application Identifier _	Colleen A. Barton, et al.	
Express Mail Label No	EL627467699US		
1			

**Assistant Commissioner for Patents ADDRESS TO: Box Patent Application** Washington, D. C. 20231

See MPEP chapter 600 concerning utility patent application contents.				
1.	_X_	Fee Transmittal Form (Submit an original, and a duplicate for fee processing)		
2.	<u>X</u>	Specification (Total Pages		
3.	_X_	Drawings(s) (35 USC 113) (Total Sheets 7)		
4.	_X_	Oath or Declaration (Total Pages <u>5</u> )		
		a. X Newly Executed (Original or Copy)		
		b Copy from a Prior Application (37 CFR 1.63(d)) (for Continuation/Divisional with Box 17 completed) (Note Box 5 below)		
		i. DELETIONS OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).		
5.	1	ncorporation By Reference (useable if Box 4b is checked)  The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by		
		reference therein.		

7.	Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a Computer Readable Copy b. Paper Copy (identical to computer copy)
	b Paper Copy (identical to computer copy) c Statement verifying identity of above copies
	ACCOMPANYING APPLICATION PARTS
8. 9.	X Assignment Papers (cover sheet & documents(s)) a. 37 CFR 3.73(b) Statement (where there is an assignee)
	X b. Power of Attorney
10.	English Translation Document (if applicable)
11.	a. Information Disclosure Statement (IDS)/PTO-1449
	b. Copies of IDS Citations
12.	Preliminary Amendment
13.	X Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14.	a. Small Entity Statement(s)
	b. Statement filed in prior application, Status still proper and desired
15.	Certified Copy of Priority Document(s) (if foreign priority is claimed)
16.	X Other: Copy of postcard w/Express Mail Stamp.
17.	If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:
''	Continuation Divisional _X_ Continuation-in-part (CIP)
	of prior application No: 09/340,216 on 6/25/99
	of prior application (vo. <u>100/0 vo. 2 vo.</u>
18.	Correspondence Address
	Customer Number or Bar Code Label (Insert Customer No. or Attach Bar Code Label here)
	(Insert Gustomer No. of Atlacti Bai Gode Labernere)
x	Address Delaw
	· ( )
NA	ME Andre' L. Marais Reg. No.: under 37 C.F. R. § 10.9(b)
	BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
	- loclar
AD	DRESS 12400 Wilshire Boulevard 0 9/08/00
	Seventh Floor
СП	TY Los Angeles STATE California ZIP CODE 90025-1026
	ountry U.S.A TELEPHONE (408) 720-8598 FAX (408) 720-9397

Under ti		et of 1995, no persons are required to respond to a collection		ii dinoso ii displaye	
	_	TAL AMOUNT OF PAYMENT (\$)	\$2,94	44 00	
Complete if Kno	wn:		<u> </u>	11.00	
Application No. Filing Date <u>He</u> i	Not Assigne	<u> </u>			
	entor Colleen A.	Barton, et al.			
Group Art Unit					
Examiner Name	Not Assigned		<del></del>		
Attorney Docket I	No. 003700.P002	X		······	
METHOD OF P	AYMENT (check				•••
1. [ X ]	The Commission any over payme	ner is hereby authorized to charge in nts to:	dicated fe	ees and cred	lit
	Deposit Accoun			<del></del>	
[ X ]	Charge Any Add	ditional Fee Required Under 37 CFR 1	1.16 and 1	.17	
2. <u>X</u>	Payment Enclos	sed: (2,904.00 & \$40.00)		-	
	Money				
	Other				
FEE CALCULA	ATION				•
1. BASIC F	ILING FEE				
Large Entity Fee Fee	Small Entity Fee Fee				
Fee Fee Code (\$)	Code (\$)	Fee Description			Fee Paid
101 690	201 345	Utility application filing fee			690.00
106 310	206 155	Design application filing fee			
107 480	207 240	Plant filing fee			
108 690 114 150	208 345 214 75	Reissue filing fee Provisional application filing fee			
114 150	214 /5	Piovisional application ining 100			
			SUBT	OTAL (1) <u>\$</u>	690.00
2. EXTRA	CLAIM FEES	Extra Claims		Fee from below	Fee Paid
	70		~	-	= \$1,044.00
Total Claims	<u>78</u>	- 20** = <u>58</u>			= \$1,044.00 = \$1,170.00
Independent		-3** = <u>15</u>	^		= <u>\$1,170.00</u>
Multiple Depe		#to For Boissups, soo bel	οw		
Large Entity	previously paid Small Entity	, if greater; For Reissues, see bel	~ · · · ·		
Fee Fee	Fee Fee				
Code (\$)	Code (\$)	Fee Description			
103 18	203 9	Claims in excess of 20			
102 78	202 39	Independent claims in excess of 3	al.		
104 260	204 130	Multiple dependent claim, if not pai **Reissue independent claims over	u original r	natent	
109 78 110 18	209 39 210 9	**Reissue claims in excess of 20 an	ad over or	iginal paten	t
110	210 3	reissuc vianno in execut en 20 an			
			SUI	BIOIAL (2)	\$ <u>2,214.00</u>

#### **FEE CALCULATION (continued)** 3. ADDITIONAL FEES Large Entity **Small Entity** Fee Fee Fee Fee Fee Paid **Fee Description** Code (\$) Code (\$) Surcharge - late filing fee or oath 105 130 205 65 Surcharge - late provisional filing fee 227 25 127 50 or cover sheet 139 130 Non-English specification 130 139 For filing a request for reexamination 147 2.520 147 2,520 Requesting publication of SIR prior to 920\* 112 920\* 112 **Examiner action** Requesting publication of SIR after 1,840\* 1,840\* 113 113 **Examiner action** Extension for response within first month 55 115 110 215 Extension for response within second month 190 380 216 116 Extension for response within third month 870 217 435 117 Extension for response within fourth month 118 1,360 218 680 Extension for response within fifth month 1,850 228 925 128 219 150 Notice of Appeal 119 300 Filing a brief in support of an appeal 120 300 220 150 Request for oral hearing 121 260 221 130 Petition to institute a public use proceeding 1.510 138 1,510 138 Petition to revive unavoidably abandoned 140 240 55 110 application Petition to revive unintentionally 605 1,210 241 141 abandoned application 605 Utility issue fee (or reissue) 242 142 1,210 243 215 Design issue fee 143 430 Plant issue fee 144 580 244 290 **Petitions to the Commissioner** 122 130 122 130 Petitions related to provisional applications 50 50 123 123 **Submission of Information Disclosure Stmt** 240 240 126 126 Recording each patent assignment per 40 581 40 581 property (times number of properties) 40.00 For filing a submission after final rejection 146 690 246 345 (see 37 CFR 1.129(a)) For each additional invention to be examined 345 149 690 249 (see 37 CFR 1.129(a)) Other fee (specify) Other fee (specify) SUBTOTAL (3) \$ 40.00 \*Reduced by Basic Filing Fee Paid SUBMITTED BY: Typed or Printed Name: ndre' L. Marais Date Signature under 97 C.F.R. § 10.9(b) Deposit Account User ID Reg. Number (complete if applicable)



"Express Mail" mailing label number: <u>EL627467699US</u>
Date of Deposit: September 8 2000
I hereby certify that I am causing this paper or fee to be
deposited with the United States Postal Service "Express Mail Post
Office To Addressee" service on the date indicated above and
that this Paper or fee has been addressed to the Assistant
Commissioner for Patent, Washington, D.C. 20231
Geneva Walls
(Typed or printed name of person mailing paper or fee)
Manua Walfe
(Signature of person mailing paper or fee)
September 8, 2000
(Date signed)

Serial/Patent No.: ***  Client: GeoMechanics International Title: METHOD AND LOGIC FOR CAP	Filing/Issue Date: Herewith al TURING AND ANALYZING CONDUIT DATA
BSTZ File No.: 003700_P002X	Atty/Secty Initials:
Other Copy of Postcard w/Exp Lefter Regarding Limit	ress Mail Stamp ed Recognition Under 37CFR § 10.9(b)

#### UNITED STATES PATENT APPLICATION

**FOR** 

# METHOD AND LOGIC FOR CAPTURING AND ANALYZING CONDUIT DATA

INVENTORS:

Colleen A. Barton

Daniel Moos

## Prepared by:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN 12400 WILSHIRE BOULEVARD SEVENTH FLOOR LOS ANGELES, CALIFORNIA 90025 (408) 720-8598

Attorney's Docket No. 003700.P002x

"Express Mail" mailing label number: <u>EL62/46/699U5</u>
Date of Deposit: September 8, 2000
I hereby certify that I am causing this paper or fee to be deposited with the United States
Postal Service "Express Mail Post Office to Addressee" service on the date indicated above
and that this paper or fee has been addressed to the Assistant Commissioner for Patents,
Washington, D. C. 20231
Geneva Walls
(Typed or printed name of person mailing paper or fee)
I finua I lelle
(Signature of berson mailing paper or fee)
/ September 8, 2000
(Date signed)

15

20

25

## METHOD AND LOGIC FOR CAPTURING AND ANALYZING CONDUIT DATA

This application is a continuation-in-part of application serial No. 09/340,216 filed on 6/25/1999.

#### FIELD OF THE INVENTION

The present invention relates generally to the field of software and data distribution and, more specifically to the distribution of data and an associated analyzer program that analyzes the data to provide evaluations and assessments, the analyzer program being limited to analysis of the specific data.

#### **BACKGROUND OF THE INVENTION**

Pipelines are commonly used in the transportation of oil and gas. There are more than 300,000 miles of oil and gas pipelines in North America. Construction costs are now of the order of \$1,000,000 per mile. The typical initial operating life of the pipelines are expected to be about 40 years, but 50% of the of the existing pipelines will be 40 years old at the year 2000.

Accurate monitoring of the pipelines is critical due to the potential risks to the environment when the pipelines rupture and due to the high costs of repair or replacement. Since oil and gas pipelines are normally buried, in-service inspection is performed by pumping a "smart electronic inspection pig" through the pipeline from one compressor station to the next.

Generally, the inspection tool detects and collects data indicating abnormalities (e.g., leakage, corrosion or metal loss) in the internal and

10

15

20

25

external pipe surface or wall. The inspection tool may provide detailed signals about the condition of the pipelines. The signals are then converted to accurate estimates of defect size and geometry. This requires considerable expertise, as well as a detailed understanding of the effects of inspection conditions and the behavior of the type of pipeline steel used.

The information collected by the smart electronic inspection pig can be analyzed by an evaluation or analyzer software. The information can also be stored on a storage device such as, for example, a compact disc (CD) and can then be readily available for further analysis. The analyzer software typically reads large volumes of data generated during the inspection. The analyzer software may include a graphical user interface. Using the data collected during the inspection, the analyzer software may generally perform some data analysis and generates written and electronic reports or some form of graphical display.

Pipeline inspection activities or survey are generally performed by consulting firms such as pipeline assessment services performing both the data collection activity and the data analysis activity. An intelligent pigging survey is expensive and may cost some hundreds of thousand of dollars, with certain long distance, more complicated lines being charged well in excess of this.

It would be cost advantageous if the user of the pipeline inspection data, (e.g., an oil company) could be enabled to have control of both the pipeline inspection data and the analyzer program that analyze the pipeline inspection data. This way the inspection data can be analyzed as often as desired and at any time as desired. However, the cost of an analyzer program may be prohibitively expensive and economically unattractive.

10

15

### **SUMMARY OF THE INVENTION**

According to one embodiment of the invention, there is provided a method of locking a specific data and an analyzer program that analyzes the specific data. A first key is generated and associated with the specific data and a specific copy of the analyzer program. A gatekeeper logic is generated. The gatekeeper logic utilizes at least the first key to prevent the specific copy of the analyzer program from analyzing any other data except for the specific data.

According to another embodiment of the invention, there is provided a method of locking a specific conduit data with a specific copy of an analyzer program that analyzes the specific conduit data. A first key is generated and associated with both the specific conduit data and the specific copy of the analyzer program. A gatekeeper logic is generated. The gatekeeper logic utilizes at least the first key to prevent the specific copy of the analyzer program from analyzing any other conduit data except for the specific conduit data.

Other features of the present invention will be apparent from the accompanying drawings and from the detailed description which follows.

### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not limitation in the figures of the accompanying drawings, in which like references indicate similar elements and in which:

5

**Figure 1** is a block diagram illustrating an exemplary system for locking conduit data and an analyzer program that analyzes the conduit data.

10

Figure 2 is a flow chart illustrating a method, according to an exemplary embodiment of the present invention, of locking conduit data and an analyzer program so that a specific copy of the analyzer program is enabled to analyze only specific conduit data.

15

**Figure 3A** is a flow chart illustrating a method, according to an exemplary embodiment of the present invention, of executing an analyzer program to analyze conduit data to which it is locked.

20

**Figure 3B** is a flow chart illustrating an alternative method, according to an exemplary embodiment of the present invention, of executing an analyzer program to analyze conduit data to which it is locked.

25

Figures 4A – 4C illustrate methods, according to alternative embodiments of the present invention, of distributing conduit data and an analyzer program that analyzes the conduit data to an end user of the conduit data conduit data conduit data and the analyzer program.

15

Figure 5 is a flow chart illustrating a method, according to an exemplary embodiment of the present invention, that may be performed by a conduit assessment service provider, an end user, and an analyzer program software supplier to implement the method illustrated in Figures 4A – 4C.

Figure 6 is a flow chart illustrating a method, according to an exemplary embodiment of the present invention, of distributing conduit data and an analyzer program to an end user.

**Figure 7** is a block diagram illustrating a machine, in the exemplary form of a computer system, within which a set of instructions for causing the computer system to perform any of the methodologies discussed above may be executed.

10

15

20

#### **DETAILED DESCRIPTION**

A method and logic for locking conduit data and an analyzer program that analyzes the conduit data are described. In the following description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be evident, however, to one skilled in the art that the present invention may be practiced without these specific details.

For the purposes of the present invention, the term "conduit" shall refer to any opening or cavity enclosed or surrounded by a structure having features, conditions or characteristics of a pipeline or pipeline-like environment such as, for example, an oil or gas pipeline, a sewer or other utility pipeline, a well or a bore hole. The structure may be generally vertical or horizontal or may form any angles with the ground level. The structure may be above ground, under ground, in land, under water, or any combination of these. Further, the term "data" shall be taken to include, but not limited to geomechanical, geophysical, in situ stress, petrophysical, geotechnical, acoustic wave form, magnetic wave resonance, vibration data, digital data or any other data derived using a logging device within the structure. The logging device may be a device that collects data such as, for example, a pig inspection device.

For the purposes of the present specification, the term "analyzer program" shall be taken to refer to any program that analyzes data for the purpose of presenting, interpreting or modifying the data. Accordingly, the operations performed by an analyzer program include, but are not limited

10

15

20

25

to, the extraction of data, the generating of data, the interpretation of data, the display of data, the filtering of data, and the enhancing of data.

Figure 1 is a block diagram illustrating a system 10, according to an exemplary embodiment of the present invention, for locking conduit data and an analyzer program that analyzes the conduit data. The system 10 includes conduit data files 12 that may, for example, comprise logged acoustic data, electrical data, optical data, digital data, magnetic data or vibration data. The conduit data files 12 are inputted to an encryption or locking routine 14 that operates to lock the conduit data files 12 to a specific copy of an analyzer program. This enables the specific copy of the analyzer program only to analyze the specific conduit data files 12, and no other conduit data files. To this end, the locking routine 14 includes a random number generator 16 that generates a first key 18, which in one embodiment of the present invention comprises a simple random number. In another embodiment, the first key 18 may comprise any random character sequence.

The locking routine 14 also operates to identify a specific characteristic of each of the conduit data files 12, and to assign a characteristic value to a characteristic parameter indicative of the particular characteristic of each conduit data file 12. For example, the characteristic parameter may be the size of a conduit data file 12, and the characteristic value attributed to this parameter may be actual size of a conduit data file 12 expressed in bits, bytes or any other measure.

Further, the locking routine 14 generates a second key 22 for each of the conduit data files 12, which is associated with a respective conduit data file 12, utilizing the first key and the characteristic value for a respective file 12. For example, the logging routine 14 may simply exclusive OR (XOR), the

15

20

25

first key and the characteristic parameter to generate the second key 22. The locking routine 14 then writes a respective second key 22 into a header portion of each of the files 12, as illustrated in **Figure 1**. Alternatively, the second key 22 may be inserted into the conduit data files 12 in a manner that is not so easily discernable. For example, the second key 22 may be fractured into pieces that are inserted at predetermined locations throughout the conduit data files 12 by the locking routine 14.

Further, the locking routine 14 generates a gatekeeper application 24, in the exemplary form of a Java<sup>™</sup> applet, which implements an "unlocking" function with respect to the conduit data files 12 and a specific copy of an analyzer program. This is to permit the analyzer program to analyze the conduit data files. Further information regarding the gatekeeper application 24 is provided below.

A compiler 28 compiles the source code 26 of the analyzer program to generate a specific compiled copy of the analyzer application 30 that incorporates the first key 18 and the gatekeeper application 24. The source code 26 for the analyzer program can be provided by a software developer such as, for example, the GMI-Imager software developed by GeoMechanics International, Incorporated of Palo Alto, California.

The conduit data files 12 and the compiled analyzer application 30 may together comprise a single package 32 that is supplied to an end user. For example, the conduit data files 12 and the compiled copy of the analyzer application 30 may be written to a single compact disk (e.g., CD) that is supplied to the end user. Alternatively, the conduit data files 12 and the specific copy of the analyzer application 30 may be propagated to an end user from a source over a network.

10

15

20

25

In one embodiment, a single first key 18 may be utilized by the locking routine 14 to generate multiple distinct second keys 22 for each of the conduit data files 12. This may be achieved by performing an operation utilizing the first key 18 and a specific characteristic value for each distinct file of the conduit data files 12 to generate a distinct second key 22 for each such distinct conduit data file. Accordingly, the package 32 may comprise a single copy of the compiled analyzer application 30 that is able to analyze each of the multiple conduit data files 12, each having a different and unique second key 22.

**Figure 2** is a flow chart illustrating a method 34, according to an exemplary embodiment of the present invention, of locking conduit data and an analyzer program so that a specific copy of the analyzer program is enabled to analyze only the specific conduit data.

The method commences at block 36, with the generation of the first key 18 by the random number generator 16. At block 38, the locking routine 14 generates the gatekeeper application 24 that is to be compiled with the analyzer application source code 26 (e.g., the analyzer program). At block 40, the locking routine 14 determines a characteristic value for a characteristic parameter of at least one conduit data file 12. As discussed above, the locking routine 14 may determine a respective characteristic value for a number of conduit data files 12. The characteristic value may be, for example, the size of a respective conduit data file.

At block 42, the locking routine 14 then generates a respective second key 22 for each conduit data file 12 utilizing the first key 18 and the respective characteristic value 19 for the respective conduit data file 12. For example, the second key 22 may be generated for the respective conduit data

10

15

20

25

file 12 by performing an exclusive-or (XOR) operation between the first key 18 and the characteristic value 19 for each respective conduit data file 12.

At block 44, the locking routine 14 incorporates the second key 22 into the header of each respective conduit data file 12. As discussed above, in an alternative embodiment, a second key 22 for each respective conduit data file 12 may be distributed throughout the file 12 at predetermined and known locations. At block 46, the compiler 28 then compiles the analyzer application source code 26 together with the first key 18 and the gatekeeper application 24 and generates a specific compiled copy of the analyzer application 30. At block 48, the specific compiled copy of the analyzer application 30 and the conduit data files 12 that the analyzer application can access and analyze, are supplied to the end user as the package 32. The method 34 then ends at block 50.

**Figure 3A** is a flow chart showing a method 52, according to an exemplary embodiment of the present invention, of executing an analyzer program to analyze conduit data to which it is locked.

The method 52 commences at block 54, with the initiation or launch by an end user of the specific compiled copy of the analyzer application 30 shown in **Figure 1** and supplied to the user at block 48 of the method 34 illustrated in **Figure 2**. At block 56, the gatekeeper application 24 begins execution and it identifies the first key 18 within the specific copy of the analyzer application 30. At block 60, the gatekeeper application 24 opens the conduit data files 12 and, at block 62, determines a characteristic value for a characteristic parameter of each of the conduit data files 12. For example, the gatekeeper application 24 may ascertain the size of each of the conduit data files 12.

10

15

20

25

At block 64, the gatekeeper application 24 calculates a gate key for each of the conduit data files 12 utilizing the first key identified at block 58 and the respective characteristic value for characteristic parameter for each of the conduit data files 12. The calculation of the gate key is the same as the calculation of the second key 22 described in Figure 1 and at block 42 of Figure 2. For example, the gate key may be calculated by performing a XOR operation utilizing the first key 18 and the determined characteristic value for the characteristic parameter for each of the conduit data files 12.

At decision block 66, a determination is made as to whether the gate key generated for each of the conduit data files 12 corresponds to a respective second key 22 stored, for example, in the header portion of the respective conduit data file 12. Following a positive determination at decision box 66, for a specific conduit data file 12, the gatekeeper application 24 enables analysis of the specific conduit data file 12 by the specific copy of the analyzer application 30. On the other hand, following a negative determination for a specific conduit data file 12 at decision box 66, the gatekeeper application 24 disables the specific copy of the analyzer application 30 from analyzing the relevant data file 12. The negative determination occurs when the user attempt to use the specific copy of the analyzer application with a conduit data file other than the conduit data files 12. The method 52 then ends at block 72.

**Figure 3B** is a flow chart illustrating an alternative method 74, according to an exemplary embodiment of the present invention, of executing an analyzer program to analyze conduit data to which it is locked.

The method 74 corresponds substantially to the method 52 discussed above with respect to **Figure 3A**. They are different in that at block 76, the

10

15

20

25

gatekeeper application 24 identifies the second key 22 of a specific conduit data file 12, and then at block 78 calculates the gate key utilizing this second key 22 and the characteristic value of the relevant file 12. At decision box 80, the gatekeeper application 24 makes a determination as to whether the gate key corresponds to the first key 18 embedded within the specific copy of the analyzer application 30. This decision is to determine whether or not the specific copy of the analyzer application 30 will be enabled to analyze the relevant conduit data file 12.

In summary, the methods 52 and 74 differ in that, in the method 52, the first key 18 is utilized together with the characteristic parameter to determine the gate key which is then compared to the second key 22 stored within the conduit data file 12. In the method 74, the second key 22 is utilized to generate the gate key, that is then compared to the first key 18 embedded within the compiled and specific copy of the analyzer application 30.

**Figures 4A – 4C** illustrate methods 90, 92 and 94, according to alternative embodiments of the present invention, of distributing conduit data and an analyzer program that analyzes the conduit data to the end user of the conduit data and the analyzer program.

Referring first to **Figure 4A**, conduit data 98 may be provided by a conduit inspection service company 96 such as, for example, BlackHawk Pipeline Assessment Services of Atlanta, Georgia, to the end user 100. Conduit data 98 may be stored on a compact disk (CD) 99. The end user 100 then provides the conduit data 98 on the CD 99 to the analyzer software supplier 102.

10

15

20

25

Having received the conduit data 98 from the end user 100, the analyzer software supplier 102 will then proceed, utilizing the locking (or encryption) routine 14 to compile the analyzer application source code 26 to include the conduit data 98 and the locking (or encryption) routine 14 to thereby generate the package 32. As described above with reference to Figure 1, the package 32 comprises object code that constitutes a compiled specific copy of the analyzer application 30, and one or more conduit data files 12. The gatekeeper application 24, in conjunction with the first and second keys 18 and 22, constitutes a lock 104 illustrated in Figure 4A. The package 32 may be written to a compact disk 107, that is then supplied back to the end user 100.

Utilizing the compact disk 107, the end user 100 may then execute the analyzer application 30 to analyze only the conduit data 98. Except for the conduit data 98, the compiled analyzer application 30 will not work with any other conduit data.

The above-discussed method 90 of distribution of the locked compiled analyzer application 30 and conduit data 98 is advantageous to the analyzer software supplier 102. The analyzer software supplier 102 is able to incrementally recover the cost of the analyzer application by supplying multiple copies of an analyzer application 30 to the end user 100. Each analyzer application copy is locked to the specific conduit data 98. Each compiled and specific copy of the analyzer application 30 is supplied at a reduced price relative to the cost of supply of an unencumbered or "unlocked" analyzer program that is not limited to the specific conduit data 98, and that would be able to analyze any given conduit data. By supplying numerous copies of compiled specific analyzer applications 30 to the end

10

15

20

25

user, the analyzer software supplier 102 will thus be able to generate a steady revenue flow from the end user 100 and recover a "full" price for the program over time.

From the point of view of the end user 100, the distribution method 90 discussed above with reference to **Figure 4A** is advantageous. Instead of being required to buy an "unlocked" copy of the analyzer program 26 for a relatively high (and sometimes unaffordable) cost, the end user 100 incurs incremental and time-distributed costs for use of the analyzer program. A further benefit to the end user 100 is that the distribution method 90 implements an alternative to a "pay-per-use" system. This provides advantages in that the cost to the end user 100 of the analyzer application 30 is linked to the usage and value to the company of the specific conduit data 98.

Figure 4B shows an alternative method 92 of distributing conduit data and an analyzer program that analyzes the conduit data to an end user 100. The method 92 corresponds substantially to the method 90 with reference to Figure 4A. However, instead of the conduit data 98 being propagated between the conduit inspection service company 96, the end user 100 and the analyzer software supplier 102 on a compact disk, the relevant data and applications are transmitted via a network (not shown). The network may be a wire or wireless, and may comprise the Internet, a Wide Area Network (WAN) or a Local Area Network (LAN). The method 92 may provide some cost advantages over the method 90, and may also be more convenient in certain circumstances.

**Figure 4C** shows a further method 94 of distributing conduit data and an analyzer program, which are locked, to an end user 100. While the

15

20

25

conduit inspection service company 96 provides the conduit data 98 to the end user 100, as in the methods 90 and 92 above, this conduit data 98 is not provided to the analyzer software supplier 102. In the method 94, the analyzer software supplier 102 provides a further package 108 to the end user 100, the package 108 including a copy-protected and read-protected copy of the analyzer application source code 26, a copy of the locking routine 14, and a purge routine 106. The end user 100 then executes the locking routine 14 to enable the analyzer application 30 locally to generate the first key 18, the gatekeeper application 24 and the second key 22.

Following compilation of a specific and compiled copy of the analyzer application 30, and the embedding of the second key 22 within a conduit data file 12, the purge routine 106 will then automatically be invoked to purge the locking routine 14 and the analyzer application source code 26 from a computer system operated by the end user 100. The end user 100 will then retain only the package 32, the other software having been purged from a relevant computer system by the purge routine 106.

The method 94 illustrated in **Figure 4C** is advantageous in that it is not required that the conduit data 98 be provided from the end user 100 to the analyzer software supplier 102. On the other hand, the generation of the locked analyzer application 30 and conduit data 98 at an end-user site may be undesirable, and may be unattractive to an end user 100.

**Figure 5** is a flow chart illustrating the steps performed by the conduit inspection service company 96, the end user 100 and the analyzer software supplier 102 as described above with reference to **Figure 4**. At block 110, the conduit data 98 is provided to the analyzer software supplier 102 from the conduit inspection service company 96 via the end user 100. At

10

15

20

25

block 112, the analyzer software supplier 102 then locks the analyzer application 30 to the conduit data 98. At block 114, the analyzer software supplier 102 supplies the locked analyzer application 30 and conduit data 98 to the end user 100. At block 116, the gatekeeper application 24, embedded within the analyzer application 30, allows a user to execute the locked software to analyze only the specific conduit data 98.

The method 90 described above with reference to **Figure 5** also embodies the processes performed when executing the method 92 discussed above with reference to **Figure 4B**.

**Figure 6** is a flow chart illustrating a method 94, according to an exemplary embodiment of the present invention, of distributing conduit data and an analyzer program to an end user. The method 94 is performed by the conduit inspection service company 96, the end user 100 and the analyzer software supplier 102.

At block 120, the end user 100 acquires the conduit data 98 from the conduit inspection service company 96. At block 112, the end user 100 requests an analyzer application source code 26, as well as the locking and purging routines 14 and 106, from the analyzer software supplier 102. At block 124, the analyzer software supplier 102 supplies the analyzer application source code 26, which is copy and read protected, to the end user 100. The supplier 102 also provides the locking routine 14 and purge routine 106. At block 126, the end user 100 then executes the locking routine 14 to lock the conduit data 98 to a specific and compiled copy of the analyzer application 30. This may involve generating the gatekeeper application 24, and performing a compile operation utilizing a compiler 28 as described with reference to **Figure 1**.

10

15

20

25

At block 128, the locking routine 14 calls the purge routine 106 to purge the locking routine and the analyzer application source code 26 from the computer system of the end-user 100. At block 130, the gatekeeper application 24 allows the end user 100 to execute the analyzer application 30 to analyze the conduit data 98, and no other conduit data, to which is locked. The method 94 then ends at block 132.

Figure 7 is a block diagram illustrating a machine, in the exemplary form of a computer system 140, within which a set of instructions, for causing the computer system 140 to perform any one of the methodologies discussed above, may be executed. The computer system 140 includes a processor 142, a main memory 144, and a static memory 146 that communicate with each other via a bus 148. The computer system 140 further includes a video display unit 149 (e.g., a liquid crystal display (LCD) or a cathode ray tube (CTR)). The computer system 140 further includes an alpha-numeric input device 150 (e.g., a keyboard), a cursor control device 152 (e.g., a mouse), a disk drive unit 154, a signal generation device 156 (e.g., a speaker) and a network interface device 158.

The disk drive unit 154 includes a machine-readable medium 160 on which is stored a set of instructions (i.e., software 162) embodying any one, or all, of the methodologies discussed above. The software 162 is also shown to reside, completely or at least partially, within the main memory 144 and/or within the processor 142. The software 162 may furthermore be transmitted or received via the network interface device 158.

For the purposes of this specification, the term "machine-readable medium" shall be taken to include any medium which is capable of storing or embodying a sequence of instructions for execution by the machine and

10

15

that cause the machine to perform any one of the methodologies of the present invention. The term "machine-readable medium" shall accordingly be taken to included, but not be limited to, solid-state memories, optical and magnetic disks, and carrier wave signals.

Thus, a method and logic for locking conduit data and an analyzer data program that analyzes the conduit data have been described. Although the present invention has been described with reference to specific exemplary embodiments, the present invention can also be practiced with any analyzer program being locked with any respective data to provide the end users the same advantages discussed above. For example, a sales person can purchase marketing data for a specific region locked together with an analyzer program that provides analyses of the same marketing data

It will be evident that various modifications and changes may be made to these embodiments without departing from the broader spirit and scope of the invention. Accordingly, the specification and drawings are to be regarded in an illustrative rather than a restrictive sense.

## **CLAIMS**

### What is claimed is:

1	1. A method of locking conduit data and	d an analyzer program
2	that analyzes the conduit data, the method including	ng:
3	generating a first key;	
4	associating the first key with both specific co	onduit data and a specific
5	copy of the analyzer program; and	
6	generating a gatekeeper logic that, utilizing	at least the first key,
7	prevents the specific copy of the anal	yzer program from
8	analyzing conduit data other than the	e specific conduit data.
1	2. The method of claim 1 wherein generating t	he first key includes
2	generating a random character sequence.	
1	3. The method of claim 2 wherein the random	character sequence is a
2	random number sequence.	
1	4. The method of claim 1 wherein associating t	the first key with the
2	specific conduit data includes generating a second	key utilizing the first key
3	and a characteristic value for a characteristic paran	neter representative of a
4	characteristic of the specific conduit data.	
1	5. The method of claim 4 including, responsive	e to a modification of the
2		
3		0
_		

- 1 6. The method of claim 4 including incorporating the second key within
- 2 a header of a data file including the specific conduit data.
- 1 7. The method of claim 1 wherein associating the first key with the
- 2 specific copy of the analyzer program includes compiling the specific copy
- 3 of the analyzer program to incorporate the first key.
- 1 8. The method of claim 1 wherein generating the gatekeeper logic
- 2 includes associating the gatekeeper logic with the specific copy of the
- 3 analyzer program.
- 1 9. The method of claim 8 wherein associating the gatekeeper logic with
- 2 the specific copy of the analyzer program includes compiling the specific
- 3 copy of the analyzer program to incorporate the gatekeeper logic.
- 1 10. The method of claim 1 wherein generating the gatekeeper logic
- 2 comprises generating a Java-programming language application that is
- 3 incorporated within the specific copy of the analyzer program.
- 1 11. The method of claim 1 wherein a user of the analyzer program
- 2 supplies the specific conduit data to a supplier of the analyzer program, and
- 3 a locking of the specific conduit data to the specific copy of the analyzer
- 4 program occurs on a computer system of the supplier.
- 1 12. The method of claim 11 wherein the supplier provides the locked

- 2 specific conduit data and the specific copy of the analyzer program to the
- 3 user.
- 1 13. The method of claim 1 wherein a supplier of the analyzer program
- 2 supplies locking logic and the analyzer program to a user of the analyzer
- 3 program, and a locking of the specific conduit data to the specific copy of the
- 4 analyzer program occurs on a computer system of the user utilizing the
- 5 supplied locking logic and the supplied analyzer program.
- 1 14. The method of claim 1, wherein the conduit data includes logged
- 2 pipeline data collected from a pipeline.
- 1 15. The method of claim 14, wherein the pipeline is a gas pipeline.
- 1 16. The method of claim 14, wherein the pipeline is an oil pipeline.
- 1 17. The method of claim 14, wherein the pipeline is a sewer pipeline.
- 1 18. The method of claim 14, wherein the pipeline is a utility pipeline.
- 1 19. A method of executing an analyzer program to analyze conduit data
- 2 to which it is locked, the method including:
- determining a first key associated with a specific copy of an analyzer
- 4 program;
- 5 determining a second key associated with specific conduit data;
- 6 determining a characteristic parameter representative of a

7	characteristic of the specific conduit data;
8	deriving a gate key utilizing the second key and the characteristic
9	parameter; and
10	allowing execution of the specific copy of the analyzer program to
11	analyze the specific conduit data if the gate key corresponds to
12	the first key.
1	20. A method of executing an analyzer program to analyze conduit data
2	to which it is locked, the method including:
3	determining a first key associated with a specific copy of an analyzer
4	program;
5	determining a second key associated with specific conduit data;
6	determining a characteristic parameter representative of a
7	characteristic of the specific conduit data;
8	deriving a gate key utilizing the first key and the characteristic
9	parameter; and
10	allowing execution of the specific copy of the analyzer program to
11	analyze the specific conduit data if the gate key corresponds to
12	the second key.
1	21. A method of distributing conduit data and an analyzer program that
2	analyzes the conduit data, the method including:
3	providing a user of the analyzer program with a specific copy of the
4	analyzer program and specific conduit data that are locked
5	utilizing at least a first key; and
6	providing the user of the analyzer program with a gatekeeper logic

- that, utilizing at least the first key, allows the specific copy of the analyzer program to analyze only the specific conduit data.
- 1 22. The method of claim 21 wherein providing the gatekeeper logic
- 2 includes compiling the specific copy of the analyzer program to include the
- 3 gatekeeper logic, and providing the user with the compiled specific copy of
- 4 the analyzer program.
- 1 23. The method of claim 21 wherein providing the specific copy of the
- 2 analyzer program and the specific conduit data includes associating the first
- 3 key with both the specific copy of analyzer program and the specific conduit
- 4 data.
- 1 24. The method of claim 23 wherein associating the first key with the
- 2 specific copy of the analyzer program includes compiling the specific copy
- 3 of the analyzer program to include the first key.
- 1 25. The method of claim 23 wherein associating the first key with the
- 2 specific conduit data includes determining a characteristic value for a
- 3 characteristic parameter representative of a characteristic of the specific
- 4 conduit data, generating a second key utilizing the first key and the
- 5 characteristic value, and including the second key within the specific conduit
- 6 data.
- 1 26. A method of distributing conduit data and an analyzer program that
- 2 analyzes the conduit data, the method including:

3	providing a user of the analyzer program with a specific copy of the
4	analyzer program;
5	providing the user of the analyzer program with a locking logic that
6	locks the specific copy of the analyzer program to selected
7	conduit data; and
8	providing the user of the analyzer program with a gatekeeper logic
9	that allows the specific copy of the analyzer program to
10	analyze only the selected conduit data.
1	27. A method of distributing conduit data and an application program
2	that accesses the conduit data, the method including:
3	locking a specific copy of the application program to specific conduit
4	data so that the specific copy of the application program is able
5	to access only the specific conduit data; and
6	distributing the locked specific copy of the application program and
7	specific conduit data to a user.
1	28. The method of claim 27 wherein locking the specific copy of the
2	application program to the specific conduit data includes generating a first
3	key that is associated with both the specific copy of the application program
4	and the specific conduit data.
1	29. The method of claim 28 wherein generating the first key comprises
2	generating a random key utilizing a random character generator.
1	30. The method of claim 28 wherein generating the first key comprises

- 2 generating a random number using a random number generator.
- 1 31. The method of claim 27 wherein locking the specific copy of the
- 2 application program to the specific conduit data includes generating a
- 3 second key that is associated with the specific conduit data, the second key
- 4 enerated utilizing the first key and a first characteristic parameter
- 5 representative of a characteristic of the specific conduit data.
- 1 32. The method of claim 27 wherein locking the specific copy of the
- 2 application program to the specific conduit data includes generating a
- 3 gatekeeper application that allows utilization of the specific copy of the
- 4 application program when accessing the specific conduit data, and disallows
- 5 utilization of the application program when accessing other conduit data.
- 1 33. The method of claim 27 wherein locking the specific copy of the
- 2 application program to the specific conduit data includes compiling source
- 3 code for the application program, together with the first key and the
- 4 gatekeeper application, into compiled object code for the specific copy of the
- 5 application program.
- 1 34. The method of claim 32 including distributing the gatekeeper
- 2 application to the user, the gatekeeper application accessing at least the first
- 3 key for the purposes of allowing or disallowing utilization of the specific
- 4 copy of the application program.
- 1 35. The method of 34 wherein the gatekeeper determines a second

- 2 characteristic parameter representative of the characteristic of the specific
- 3 conduit data, generates a gate key utilizing the first key and the second
- 4 characteristic parameter, and compares the gate key to the second key for
- 5 the purposes of allowing or disallowing user utilization of the specific copy
- 6 of the application program.
- 1 36. The method of claim 27 wherein locking is performed by a locking
- 2 logic, and the method includes sending the specific conduit data from the
- 3 user to a software supplier, the software supplier executing the locking logic
- 4 to lock the specific copy of the application program to the specific conduit
- 5 data so that the specific copy of the application program is able to access
- 6 only the specific conduit data.
- 1 37. The method of claim 27 including sending the locked specific copy of
- 2 the application program and specific conduit data from the user to the
- 3 software supplier.
- 1 38. The method of claim 37 wherein sending comprises propagating the
- 2 specific conduit data over a communications network.
- 1 39. The method of claim 37 wherein sending comprises supplying the
- 2 software supplier with a physical storage medium that stores the specific
- 3 conduit data.
- 1 40. The method of claim 27 wherein locking is performed by a locking
- 2 logic, the method includes sending the locking logic and the application

- 3 program from a software supplier to the user, the user executing the locking
- 4 logic to lock the specific copy of the application program to the specific
- 5 conduit data so that the specific copy of the application program is able to
- 6 access only the specific conduit data.
- 1 41. The method of claim 40 including purging the locking logic from a
- 2 computer system of the user subsequent to the locking of the specific copy of
- 3 the application program to the specific conduit data.
- 1 42. The method of claim 40 wherein sending comprises propagating the
- 2 locking logic and the application program over a communications network.
- 1 43. The method of claim 40 wherein sending comprises supplying the
- 2 user with a physical storage medium that stores the locking logic and the
- 3 application program.
- 1 44. The method of claim 27, wherein the conduit data includes logged
- 2 pipeline data collected from a pipeline.
- 1 45. The method of claim 44, wherein the pipeline is a gas pipeline.
- 1 46. The method of claim 44, wherein the pipeline is an oil pipeline.
- 1 47. The method of claim 44, wherein the pipeline is a sewer pipeline.
- 1 48. The method of claim 44, wherein the pipeline is a bore hole.

- 1 49. The method of claim 44, wherein the pipeline is a drill hole.
- 1 50. A logic set for locking conduit data and an analyzer program that
- 2 analyzes the conduit data, the apparatus including:
- 3 first logic to generate a first key;
- 4 second logic to associate the first key with both specific conduit data
- 5 and a specific copy of the analyzer program; and
- 6 third logic to generate gatekeeper logic that, utilizing at least the first
- 7 key, prevents the specific copy of the analyzer program from
- 8 analyzing conduit data other than the specific conduit data.
- 1 51. The logic set of claim 50 wherein the third logic generates a second
- 2 key utilizing the first key and a characteristic value representative of a
- 3 characteristic of the specific conduit data, and associates the second key with
- 4 the specific conduit data.
- 1 52. The logic set of claim 50 wherein the first logic comprises a random
- 2 number generator.
- 1 53. The logic set of claim 50 wherein the second logic comprises a
- 2 compiler that compiles the specific copy of the analyzer program to
- 3 incorporate the gatekeeper logic.
- 1 54. The logic set of claim 50 wherein the second logic comprises a
- 2 compiler that compiles the specific copy of the analyzer program to

incorporate the first key.

The logic set of claim 50 wherein the third logic comprises a locking 1 55. 2 routine. 1 56. An apparatus for locking conduit data and an analyzer program that 2 analyzes the conduit data, the apparatus including: 3 first means for generating a first key; 4 second means for associating the first key with both specific conduit 5 data and a specific copy of the analyzer program; and 6 third means for generating gatekeeper logic that, utilizing at least the 7 first key, prevents the specific copy of the analyzer program from analyzing conduit data other than the specific conduit 8 data. 9 1 57. A logic set for executing an analyzer program to analyze conduit data 2 to which it is locked, the apparatus including: 3 first logic to identify a first key associated with a specific copy of an 4 analyzer program; 5 second logic to identify a second key associated with specific conduit 6 data; 7 third logic to determine a characteristic parameter representative of a 8 characteristic of the specific conduit data; 9 fourth logic to derive a gate key utilizing the second key and the

10

11

fifth logic to allow executing of the specific copy of the analyzer

characteristic parameter; and

12	program to analyze the specific conduit data if the gate key
13	corresponds to the first key.
1	58. A logic set for executing an analyzer program to analyze conduit data
2	to which it is locked, the method including:
3	first logic to identify a first key associated with a specific copy of an
4	analyzer program;
5	second logic to identify a second key associated with specific conduit
6	data;
7	third logic to determine a characteristic parameter representative of a
8	characteristic of the specific conduit data;
9	fourth logic to derive a gate key utilizing the first key and the
10	characteristic parameter; and
11	fifth logic to allow execution of the specific copy of the analyzer
12	program to analyze the specific conduit data if the gate key
13	corresponds to the second key.
1	59. An apparatus for executing an analyzer program to analyze conduit
2	data to which it is locked, the apparatus including:
3	first means for identifying a first key associated with a specific copy
4	of an analyzer program;
5	second means for identifying a second key associated with specific
6	conduit data;
7	third means for determining a characteristic parameter representative
8	of a characteristic of the specific conduit data;
9	fourth means for deriving a gate key utilizing the second key and the

10	characteristic parameter; and
11	fifth means for allowing execution of the specific copy of the analyzer
12	program to analyze the specific conduit data if the gate key
13	corresponds to the first key.
1	60. An apparatus for executing an analyzer program to analyze conduit
2	data to which it is locked, the method including:
3	first means for identifying a first key associated with a specific copy
4	of an analyzer program;
5	second means for identifying a second key associated with specific
6	conduit data;
7	third means for determining a characteristic parameter representative
8	of a characteristic of the specific conduit data;
9	fourth means for deriving a gate key utilizing the first key and the
10	characteristic parameter; and
11	fifth means for allowing execution of the specific copy of the analyzer
12	program to analyze the specific conduit data if the gate key
13	corresponds to the second key.
1	61. A machine-readable medium having a sequence of instructions stored
2	thereon that, when executed by a machine, cause the machine to perform the
3	steps of:
4	generating a first key;
5	associating the first key with both specific conduit data and a specific
6	copy of an analyzer program; and
7	generating gatekeeper logic that, utilizing at least the first key,

	prevents the specific copy of the analyzer program from			
	analyzing conduit data other than the specific conduit data.			
<b>6</b> 2	A mandatura mandalila mandisma la mina a manana mandisma si manana manda manda manda manda manda manda manda m			
	A machine-readable medium having a sequence of instructions stored			
thereon that, when executed by a machine, cause the machine to perform the				
steps of:				
	determining a first key associated with a specific copy of an analyzer			
	program;			
	determining a second key associated with specific conduit data;			
	determining a characteristic parameter representative of a			
	characteristic of the specific conduit data;			
	deriving a gate key utilizing the second key and the characteristic			
	parameter; and			
	allowing execution of the specific copy of the analyzer program to			
	analyze the specific conduit data if the gate key corresponds to			
	the first key.			
63.	A machine-readable medium having a sequence of instructions stored			
there	on that, when executed by a machine, cause the machine to perform the			
	•			
•	determining a first key associated with a specific copy of an analyzer			
	program;			
	determining a second key associated with specific conduit data;			
	determining a characteristic parameter representative of a			
	characteristic of the specific conduit data;			
	deriving a gate key utilizing the second key and the characteristic			
	steps 63.			

LU	parameter; and
11	allowing execution of the specific copy of the analyzer program to
12	analyze the specific conduit data if the gate key corresponds to
13	the second key.
1	64. A machine-readable medium having a sequence of instructions stored
2	thereon that, when executed by a machine, cause the machine, in response to
3	a user request received over a communications network, to perform the
4	steps of:
5	automatically providing, over the communications network, a user of
6	the analyzer program with a specific copy of the analyzer
7	program and specific conduit data that are locked utilizing at
8	least a first key; and
9	automatically providing, over the communications network, the user
10	of the analyzer program with gatekeeper logic that, utilizing at
11	least the first key, allows the specific copy of the analyzer
12	program to analyze only the specific conduit data.
1	65. A machine-readable medium having a sequence of instructions stored
2	thereon that, when executed by a machine, cause the machine, in response to
3	a user request received over a communications network, to perform: he
4	steps of:
5	automatically locking a specific copy of an application program to
6	specific conduit data so that the specific copy of the application
7	program application program is able to access only the specific
8	conduit data: and

פ	automatically distributing the focked specific copy of the application			
10	program and specific conduit data to a user.			
1	66. A method of locking a data and a program that processes the			
2	data, comprising:			
3	generating a first key;			
4	associating the first key with the data and a copy of the program; and			
5	generating a gatekeeper logic that, utilizing at least the first key,			
6	prevents the copy of the program from processing data other			
7	than the data associated with the first key.			
1	67. The method of claim 66 wherein generating the first key includes			
2	generating a random character sequence.			
1	68. The method of claim 67 wherein the random character sequence is a			
2	random number sequence.			
1	69. The method of claim 66 wherein associating the first key with the data			
2	includes generating a second key utilizing the first key and a characteristic			
3	value for a characteristic parameter representative of a characteristic of the			
4	data.			
1	70. The method of claim 69 including, responsive to a modification of the			
2	characteristic value, re-generating the second key utilizing the modified			
3	characteristic value.			

- 1 71. The method of claim 69 including incorporating the second key
- 2 within a header of a data file including the data.
- 1 72. The method of claim 66 wherein associating the first key with the
- 2 specific copy of the program includes compiling the copy of the program to
- 3 incorporate the first key.
- 1 73. The method of claim 66 wherein generating the gatekeeper logic
- 2 includes associating the gatekeeper logic with the copy of the program.
- 1 74. The method of claim 73 wherein associating the gatekeeper logic with
- 2 the copy of the program includes compiling the copy of the program to
- 3 incorporate the gatekeeper logic.
- 1 75. The method of claim 66 wherein generating the gatekeeper logic
- 2 comprises generating a Java-programming language application that is
- 3 incorporated within the copy of the program.
- 1 76. The method of claim 66 wherein a supplier of the program performs
- 2 locking of the data to the copy of the program, the data provided to the
- 3 supplier by a user.
- 1 77. The method of claim 76 wherein the supplier provides the copy of the
- 2 program and the data locked to the copy of the program to the user.
- 1 78. The method of claim 66 wherein a supplier of the program supplies a

- 2 locking logic and the copy of the program to a user, and a locking of the data
- 3 to the copy of the program occurs on a computer system of the user utilizing
- 4 the supplied locking logic and the supplied program.

5

## ABSTRACT OF THE DISCLOSURE

A method of locking data and a program that analyzes the data commences with a generation of a first key. This first key is associated with both the data and a specific, compiled copy of the program. A gatekeeper logic is generated. The gatekeeper logic utilizes at least the first key to prevent the specific, compiled copy of the program from analyzing data other than the specific data. In this way, the specific copy of the program is locked to specific data, and is accordingly limited to performing analysis operations utilizing the specific data.

FIGURE 1




FIGURE 2




FIGURE 3A





FIGURE 3B






FIGURE 5




FIGURE 6

Attorney's Docket No.: 03	700.P002X		<u>PA</u>	TENT			
DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION (CONTINUATION-IN-PART)							
As a below named invento	r, I hereby declare that:						
My residence, post office a	ddress and citizenship ar	re as stated below, next to my i	name.				
and joint inventor (if plural	names are listed below) on the invention entitled <u>Name</u>	only one name is listed below)  of the subject matter which is class.  METHOD AND LOGIC FOR CA	aimed a	nd for			
the specification of which							
Or	nnited States Application N PCT International Applica	umberas ation Number					
an	d was amended on	(if applicable)	•				
including the claims, as am	ended by any amendmer disclose all information kn	own to me to be material to pa					
foreign application(s) for pa	atent or inventor's certifica nt or inventor's certificate	, United States Code, Section ate listed below and have also i having a filing date before that	dentified	below any			
Prior Foreign Application(s)	1		Priori <u>Claim</u>				
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No			
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No			
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No			
I hereby claim the benefit u provisional application(s) lis	nder title 35, United State sted below:	es Code, Section 119(e) of any	United S	States			
Application Number	Filing Date						
Application Number	Filing Date						

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

09/340,216	<u> </u>	Penain	9	
Application Numbe	er Filing Date	Status	patented, pending, abande	oned
Application Numbe	Filing Date	Status	patented, pending, aband	oned
part of this document)	ersons listed on Appendix A he as my respective patent attorr ation, to prosecute this applica connected herewith.	neys and patent ager	ts, with full power	of
<b>ZAFMAN LLP, 12400</b>	e to <u>Andre' L. Marais</u> (Name of Attorney or A Wilshire Boulevard 7th Floo <u>Andre' L. Marais</u> (Name of Attorney or Agent	r, Los Angeles, Cal	, SOKOLOFF, T <i>A</i>	AYLOR &
statements made on statements were made are punishable by fin	all statements made herein information and belief are belief are belief are belief that we with the knowledge that we or imprisonment, or both, it such willful false statement itent issued thereon.	elieved to be true; a villful false stateme under Section 100°	and further that t nts and the like s of Title 18 of the	hese so made
Full Name of Sole/Firs	t Inventor Colleen A. Barton			
Inventor's Signature _<	A Bont	Date	SEPTEMBER	5, 2000
Residence P	ortola Valley, California (City, State)	Citizenship	U.S.A. (Country	)
Post Office Address	351 Grove Drive Portola Valley, CA 94028			
Full Name of Second/	Joint Inventor <u>Daniel Moos</u>			
Inventor's Signature _	X.M.	Date	Systems	er 5 2000
Residence	Palo Alto, California (City, State)	Citizenship		
Post Office Address	925 Clara Drive Palo Alto, CA 94303	WILLIAM CONTROL CONTRO		

## APPENDIX A

William E. Alford, Reg. No. 37,764; Farzad E. Amini, Reg. No. P42,261; Aloysius T. C. AuYeung, Reg. No. 35,432; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Lisa N. Benado, Reg. No. 39,995; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; R. Alan Burnett, Reg. No. 46,149; Gregory D. Caldwell, Reg. No. 39,926; Andrew C. Chen, Reg. No. 43,544; Thomas M. Coester, Reg. No. 39,637; Donna Jo Coningsby, Reg. No. 41,684; Florin Corie, Reg. No. 46,244; Dennis M. deGuzman, Reg. No. 41,702; Stephen M. De Klerk, Reg. No. P46,503; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Sanjeet Dutta, Reg. No. P46,145; Matthew C. Fagan, Reg. No. 37,542; Tarek N. Fahmi, Reg. No. 41,402; George Fountain, Reg. No. 37,374; Paramita Ghosh, Reg. No. 42,806; James Y. Go, Reg. No. 40,621; James A. Henry, Reg. No. 41,064; Libby N. Ho, Reg. No. P46,774; Willmore F. Holbrow III, Reg. No. P41,845; Sheryl Sue Holloway, Reg. No. 37,850; George W Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; William W. Kidd, Reg. No. 31,772; Sang Hui Kim, Reg. No. 40,450; Walter T. Kim, Reg. No. 42,731; Eric T. King, Reg. No. 44,188; Erica W. Kuo, Reg. No. 42,775; George Brian Leavell, Reg. No. 45,436; Kurt P. Leyendecker, Reg. No. 42,799; Gordon R. Lindeen III, Reg. No. 33,192; Jan Carol Little, Reg. No. 41,181; Joseph Lutz, Reg. No. 43,765; Michael J. Mallie, Reg. No. 36,591; Andre L. Marais, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. 42,879; Clive D. Menezes, Reg. No. 45,493; Chun M. Ng, Reg. No. 36,878; Thien T. Nguyen, Reg. No. 43,835; Thinh V. Nguyen, Reg. No. 42,034; Dennis A. Nicholls, Reg. No. 42,036; Daniel E. Ovanezian, Reg. No. 41,236; Kenneth B. Paley, Reg. No. 38.989; Marina Portnova, Reg. No. P45.750; William F. Ryann, Reg. 44.313; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Jeffrey Sam Smith, Reg. No. 39,377; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; John F. Travis, Reg. No. 43,203; Joseph A. Twarowski, Reg. No. 42,191; Tom Van Zandt, Reg. No. 43.219; Lester J. Vincent, Reg. No. 31,460; Glenn E. Von Tersch, Reg. No. 41,364; John Patrick Ward, Reg. No. 40,216; Mark L. Watson, Reg. No. P46,322; Thomas C. Webster, Reg. No. P46,154; Steven D. Yates, Reg. No. 42,242; and Norman Zafman, Reg. No. 26,250; my patent attorneys, and Firasat Ali, Reg. No. 45,715; and Justin M. Dillon, Reg. No. 42,486; my patent agents, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard. 7th Floor. Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

## APPENDIX B

## Title 37, Code of Federal Regulations, Section 1.56 <u>Duty to Disclose Information Material to Patentability</u>

- (a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclosure all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
  - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made or record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
  - (2) It refutes, or is inconsistent with, a position the applicant takes in:
  - (i) Opposing an argument of unpatentability relied on by the Office, or
  - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
  - (1) Each inventor named in the application;
  - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.